



TECHNOLOGY PLASMA 54 KOMPRESSOR



Overview

TECHNOLOGY PLASMA 54 KOMPRESSOR

cod. 815088

Inverter, compressed air plasma cutting system, with contact striking of pilot arc.

Allows a rapid, distortion-proof cutting of all conductive materials such as steel, stainless steel, galvanised steel, aluminium, copper, brass, etc.

The model is equipped with a compressor and needs not to be connected to an external compressed air power source.

Features:

- reduced weight and dimensions
- warning led for torch under voltage, protections
- torch automatic cooling
- thermostatic, overvoltage, undervoltage, overcurrent protections.

Complete with torch.



1 PH 230V



CE MARKING



EAC CERTIFICATION

Technical data

CODE	CODE 815088	MAX ABSORBED CURRENT	27,5 A	PROTECTION DEGREE	IP23
SINGLE PHASE MAINS VOLTAGE	230 V	MAX ABSORBED POWER	4,5 kW	DIMENSIONS	55 x 17 x 34 cm
MAINS FREQUENCY	50 / 60 Hz	MAINS FUSE	16 A	WEIGHT	16,45 kg
CURRENT RANGE	7 - 40 A	EFFICIENCY	70 V	EAN CODE	800489771539 1
MAX CURRENT	35 @ 30 % A	POWER FACTOR (cosphi)	0,7	PIECES/PALLET	21 pz/pallet
MAX NO LOAD VOLTAGE	400 V	MAX CUTTING THICKNESS	10 mm	PIECES/PALLET - B	14 pz/pallet-B

Included Accessories

Telwin SPA | Via della Tecnica 3 - 36030 VILLAVERLA (VI) ITALY - Tel. +39-0445-858811 - Fax +39-0445-858800/801 - www.telwin.com

Dec 9, 2022



TECHNOLOGY PLASMA 54 KOMPRESSOR

CABLE 6 MMQ 3 M - 123422

PK PLASMA TORCH 4M 35 A - 742381



TOLEDO 300 WORK CLAMP - 712231