



TECNICA 188 MPGE 230V ACX+PLAST.C.CASE



Overview

TECNICA 188 MPGE 230V ACX+PLAST.C.CASE

cod. 816212

MMA and TIG inverter, electrode welding machine in direct current (DC) with scratch striking.

Use with a wide range of electrodes: rutile, basic, stainless steel, cast iron, etc.

Recommended for motorgenerators, this model grants high performance despite power supply instability, thanks to the MPGE multiprotections: control device of the wave form, filter against input peaks, stabilization of oscillations.

Features:

- compact and light,
- high welding current stability in spite of mains voltage fluctuations,
- arc force, hot start and anti-stick devices,
- thermostatic, overvoltage, undervoltage, overcurrent protections.

Complete with MMA welding accessories and plastic carry case.



1 PH 230V



CE MARKING



EAC CERTIFICATION

Technical data

CODE	CODE 816212	DC CURRENT	95 A	MAINS FUSE	16 A
SINGLE PHASE MAINS VOLTAGE	230 V	MAX NO LOAD VOLTAGE	75 V	EFFICIENCY	86 %
MAINS FREQUENCY	50 / 60 Hz	MAX ABSORBED CURRENT	28 A	POWER FACTOR (cosphi)	0,7
CURRENT RANGE	10 - 150 A	ABSORBED CURRENT AT 60% - MAX	17 A	D. USABLE ELECTRODES IN DC	1,6 - 4 mm
%USE (20°C USE)	88% @ 150A %	MAX ABSORBED POWER	4,2 kW	MAX CURRENT DC (EN 60974-1)	140 @ 25 % A
ABSORBED POWER AT 60%	2,6 kW	PROTECTION DEGREE	IP23	MOTORGENERATOR MINIMUM POWER	6 kW

Included Accessories

Telwin SPA | Via della Tecnica 3 - 36030 VILLAVERLA (VI) ITALY - Tel. +39-0445-858811 - Fax +39-0445-858800/801 - www.telwin.com

Apr 11, 2021



TECNICA 188 MPGE 230V ACX+PLAST.C.CASE

CABLE TW05V-A 1X025 1.80M PLUG ATLAS - 124589

PLASTIC CARRY CASE - 322800



TOLEDO 250 WORK CLAMP 250A - 712030



DALLAS 300 ELECTRODE HOLDER 300A - 712260