



EURARC 522 230V/400V



Overview

EURARC 522 230V/400V

cod. 817018

MMA stick electrode welding machine in alternating current (AC).

Stepless regulation of welding current.

With thermostatic protection.

The model has double secondary voltage for use also with basic and rutile electrodes.



1 PH 230V



CE MARKING



EAC CERTIFICATION

Technical data

CODE	CODE 817018	AC CURRENT	265 A	PROTECTION DEGREE	IP22
SINGLE PHASE MAINS VOLTAGE	230 V	MAX NO LOAD VOLTAGE	52 - 71 V	DIMENSIONS	95 x 49 x 68 cm
DOUBLE PHASE MAINS VOLTAGE	400 V	MAX ABSORBED POWER	15 kW	WEIGHT	81 kg
MAINS FREQUENCY	50 / 60 Hz	ABSORBED POWER AT 60%	11 kW	EAN CODE	800489785092 4
CURRENT RANGE	40 - 400 A	POWER FACTOR (cosphi)	0,7	PIECES/PALLET	6 pz/pallet
MAX CURRENT (EN 60974-1)	350 @ 35 % A	D. USABLE ELECTRODES IN AC	1,6 - 6 mm	PIECES/PALLET - B	3 pz/pallet-B
MAX CURRENT (EN 60974-1)	400 @ 25 % A				