



- Electronic spot welding machine with air cooled pneumatic clamp and LCD display. With trolley.
- The multi-functional LCD digital panel allows automatic adjustment of the parameters based on the choice of tool. Automatic control of the gun cooling.
- Mains voltage monitor.
- Suitable for spot welding sheet metal with a maximum thickness of 1.5+1.5mm.
- Studder kit connection possible. Numerous arms and electrodes available.

TECHNICAL DATA

CODE	823198	MAX ABSORBED POWER	27,3 kW	INSULATION CLASS	H
TWO-PHASE MAINS VOLTAGE	400 V	RATED POWER X=50%	6,7 kW	PROTECTION DEGREE	IP22
MAINS FREQUENCY	50 / 60 Hz	POWER FACTOR(cosphi) (cosphi)	0,7	DIMENSIONS (LxWxH)	52 x 38 x 88,5 cm
MAX SPOT-WELDING CURRENT	4500 A	MAX WELD.THICK.2 SHEETS	1,5 + 1,5 mm	WEIGHT	50 kg
SECONDARY NO LOAD VOLTAGE	8,6 V	DUTY CYCLE	3 %		

COMPOUND PRODUCTS

SPOT WELDING CLAMPS	TROLLEYS AND ACCESSORIES
801048 PNEUMATIC "X" GUN + CABLES	803084 TROLLEY - AMERICA

OPTIONAL ACCESSORIES

DENT PULLING ACCESSORIES	802627 WELDING CLAMPS FOR AUTOMOTIVE 5 PCS
802832 KIT STUDDER + READY BOX	SPOT WELDING CLAMPS
802833 KIT STUDDER AUTOMATIC	801043 MANUAL "X" GUN + CABLES
SHEET METAL ACCESSORIES	801041 MANUAL "C" GUN + CABLES
802586 CLAMPS FOR CAR BODY SHOP 6 PCS	

DESCRIPTION

Microprocessor controlled, electronic spot-welding machine suitable for use in the car body repair. The digital, LCD, multifunction control panel allows the automatic regulation of spot welding parameters according to the chosen tool and sheet thickness.

Features:

- automatic identification of the tool
- monitoring of mains voltage
- automatic control of the gun cooling
- visualization on a backlit LCD display of the set controls and parameters.

Equipped with air cooled pneumatic gun and trolley.

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST



CERTIFICATE