

INVERSPOTTER 14000 SMART AQUA + ACC.



- Inverter spot welding machine with Wave OS technology and TFT colour panel. With liquid cooled pneumatic clamp.
- SMART AUTOSET technology: automatic setting of the spot welding parameters thanks to type and thickness detection of the materials to weld.
- POWER GUN technology: power circuits integrated in the clamp. Long (5m) and light cables for ample action range.
- Saving spot welding data via USB. Spot Welding Data Management for reading and processing spot welding data.
- Optional connectivity kit for data transfer via Wi-Fi.
- Numerous arms and electrodes available.

TECHNICAL DATA

CODE	823350	RATED POWER X=50%	10 kW	INSULATION CLASS	H
THREEPHASE MAINS VOLTAGE	400 V	POWER FACTOR(cosphi) (cosphi)	0,8	PROTECTION DEGREE	IP20
MAINS FREQUENCY	50 / 60 Hz	INVERTER FREQUENCY	8000 Hz	DIMENSIONS (LxWxH)	80 x 52 x 115 cm
MAX SPOT-WELDING CURRENT	15000 A	MAX WELD.THICK.2 SHEETS	3 + 3 + 3 mm	WEIGHT	100 kg
SECONDARY NO LOAD VOLTAGE	13 V	MAX ELECTRODES POWER	580 daN		
MAX ABSORBED POWER	68 kW	DUTY CYCLE	2 %		

SUPPLIED ACCESSORIES

801067 PNEUMATIC "C" GUN SMART AQUA

OPTIONAL ACCESSORIES

SPOT WELDING CLAMPS

801063 X POWER GUN 5M

INVERSPOTTER PACK

804913 INVERSPOTTER SMART PACK

804940 INVERSPOTTER STARTER PACK

804914 INVERSPOTTER EXPERT PACK

804915 INVERSPOTTER SHARK EXPERT PACK

ARMS/ELECTRODES - INVERSPOTTER

803169 CA1 ARM L=95 MM + ELECTRODE

803170 CA2 ARM L=95MM + ELECTRODE

803171 CA3 ARM L=300MM + ELECTRODE

803172 CA4 ARM L=550MM + ELECTRODE

803181 CA5 ARM L=42MM + ELECTRODE

803187 CA6 ARM L=430MM + ELECTRODE

803189 CA7 SHARK BRAZ L=635MM

802868 CA1 SHORT ELECTRODE KIT

802767 CMKA - CAPS A MAINTENANCE KIT

OTHER INVERSPOTTER ACCESSORIES

802866 360 RING KIT

802650 LOAD BALANCER AND SUPPORT KIT IS SMART

802699 STUDDER KIT - INVERSPOTTER 13500/14000

803106 WALL ARMS ORGANISER KIT

804073 MACHINE ANTIDUST COVER

803069 WI-FI CONNECTIVITY KIT X INVERSPOTTER

WATER COOLING UNITS

804775 COOLANT FOR COOLING SYSTEMS 10L

DESCRIPTION

Medium frequency, direct current (MFDC) inverter technology, microprocessor controlled resistance welding machine.

The POWER GUN technology allows for high spot-welding currents with low absorption rates, the use of longer (5m) and lighter cables for a better holding and a wider range of action and minimum magnetic fields around the cables.

Automatic pressure monitoring ensures excellent adjustment of the force applied to the gun electrodes.

It is particularly suitable for body shop applications and industrial use and gives excellent results also on high strength steel (HSS)/boron and galvanised metal sheets.

The innovative SMART AUTOSET technology, thanks to the automatic recognition of the materials and thickness, eliminates set-up times and guarantees optimal spot welding even if the types of steel to be processed are not known.

The WAVE technology facilitates interaction with the machine and tracks all operating parameters for their processing and reporting.

The multifunction digital panel can be used to select the automatic Smart Autoset mode as well as the EASY and the manual mode; the programmes and reports there generated can be transferred to a USB pen drive.

Features:

- pre- and post-heating for interventions on HSS and galvanized metals;
- automatic recognition of the arm and inserted tool;
- monitoring of mains voltage;
- automatic cooling control of machine, clamp and cables;
- regulation of approach, slope, welding and holding times;
- regulation in pulsed welding;
- automatic/manual regulation of pressure between electrodes.

Complete with water-cooled pneumatic gun.

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST



CERTIFICATE



SOFTWARE/APP